



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated)

AUSTRIA-HUNGARY—*Brunn*.—Month of October, 1910. Population, 94,500. Total number of deaths from all causes 205, including typhoid fever 3, diphtheria 3, tuberculosis 41.

AZORES—*St. Michaels*.—Month of October, 1910. Population, 131,183. Total number of deaths from all causes 252, including typhoid fever 2, diphtheria 2, tuberculosis 6.

BRAZIL—*Ceara*.—Month of October, 1910. Population, 50,000. Total number of deaths from all causes 123, including typhoid fever 7, measles 2, tuberculosis 16. Month of November, 1910. Total number of deaths 120, including typhoid fever 8, tuberculosis 12.

BRITISH BURMA—*Rangoon*.—Month of October, 1910. Population, 301,259. Total number of deaths from all causes 686, including typhoid fever 5, cholera 1, smallpox 2, measles 4, plague 18, tuberculosis 24.

BRITISH GUIANA—*Paramaribo*.—Month of November, 1910. Population, 36,496. Total number of deaths from all causes 67. No contagious diseases.

FRANCE—*Marseille*.—Month of November, 1910. Population, 517,498. Total number of deaths from all causes 750, including typhoid fever 26, measles 1, diphtheria 1, tuberculosis 111.

***St. Etienne*.**—Two weeks ended November 30, 1910. Population, 150,000. Total number of deaths from all causes 120, including typhoid fever 1, measles 1, tuberculosis 16.

GREAT BRITAIN.—Week ended December 10, 1910.

***England and Wales*.**—The deaths registered in 77 great towns correspond to an annual rate of 16.8 per 1,000 of the population, which is estimated at 16,940,895.

***Ireland*.**—The deaths registered in 21 principal town districts correspond to an annual rate of 19.6 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Queens-town, viz, 6.6, and the highest at Tralee, viz, 37 per 1,000.

***Scotland*.**—The deaths registered in 8 principal towns correspond to an annual rate of 17.2 per 1,000 of the population, which is estimated at 1,891,936. The lowest rate was recorded at Aberdeen, viz, 14, and the highest at Dundee, viz, 23. The total number of deaths from all causes was 622, including typhoid fever 2, measles 2, scarlet fever 4, diphtheria 13.

ITALY—*Genoa*.—Two weeks ended November 15, 1910. Population, 279,163. Total number of deaths from all causes 226, including measles 2, tuberculosis 26.

PORTO RICO.—Month of August, 1910. Population, 1,118,012. Total number of deaths from all causes 2,224, including typhoid fever 25, measles 13, tuberculosis 201. The service of tropical and

transmissible diseases reports 1,956 patients admitted to dispensaries for the treatment of anemia, 554 patients dismissed cured, 3 deaths, and 10,844 patients remaining under treatment.

SOUTH AFRICA—*Johannesburg*.—Four weeks ended November 12, 1910. Population, 180,687. Total number of deaths from all causes 452, including typhoid fever 4, measles 23, scarlet fever 3, diphtheria 2, tuberculosis 36.

SPAIN—*Almeria*.—Month of November, 1910. Population, 50,910. Total number of deaths from all causes 89, including typhoid fever 4, tuberculosis 9.

***Cadiz*.**—Month of November, 1910. Population, 69,382. Total number of deaths from all causes 119, including scarlet fever 1, diphtheria 3, tuberculosis 20.

***Madrid*.**—Month of November, 1910. Population, 613,436. Total number of deaths from all causes 1,260, including typhoid fever 8, typhus fever 1, smallpox 6, measles 57, scarlet fever 3, diphtheria 34, tuberculosis 157.

TURKS ISLANDS.—Month of December, 1910. Population, 1,800. Total number of deaths from all causes 4. No contagious diseases.

URUGUAY—*Montevideo*.—Month of September, 1910. Population, 321,224. Total number of deaths from all causes 502, including smallpox 4, measles 2, scarlet fever 3, diphtheria 5, tuberculosis 61. Month of October, 1910. Total number of deaths from all causes 518, including smallpox 1, measles 6, diphtheria 2, tuberculosis 83.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.